

Fig. 1




Fig.2




Fig.3




Fig.4

(A)

```
<HTML>
<HEAD>
<meta access deny zzzzz.co.jp>
</HEAD>
<BODY>
    :
</BODY>
</HTML>
```

TG

HT

(B)

```
<HTML>
<HEAD>
<meta access passwd John,7s#Q1 >
</HEAD>
<BODY>
    :
</BODY>
</HTML>
```

TG

HT

Fig.5

A graphical user interface window with a title bar containing a close button (X). The window contains the text "INPUT USER NAME AND PASSWORD." followed by two input fields. The first input field is preceded by the label "USER NAME" and the second by "PASSWORD". Below the input fields are two buttons labeled "OK" and "Cancel".

DAB

Fig.6





Fig.7



HG2 (22a1)

Fig.8






Fig.9

(A)

```
<HTML>
<HEAD>
<meta access allow xxxxx.co.jp>
<meta access deny zzzzz.co.jp>
<meta access passwd John,7s#Q1 >
</HEAD>
<BODY>
      :
</BODY>
</HTML>
```

HT

(B)

```
<HTML>
<HEAD>
<meta access allow zzzzz.co.jp & passwd John,7s#Q1>
<meta access allow xxxxx.co.jp>
</HEAD>
<BODY>
      :
</BODY>
</HTML>
```

HT

Fig.10

